#### Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Age at	5-12	Count	0	1	1
Diagnosis		% within Sex	.0%	5.3%	1.4%
	13-19	Count	2	0	2
		% within Sex	3.6%	.0%	2.7%
	20-24	Count	6	2	8
		% within Sex	10.9%	10.5%	10.8%
	25-29	Count	9	0	9
		% within Sex	16.4%	.0%	12.2%
	30-34	Count	6	2	8
		% within Sex	10.9%	10.5%	10.8%
	35-39	Count	14	1	15
		% within Sex	25.5%	5.3%	20.3%
	40-44	Count	8	7	15
		% within Sex	14.5%	36.8%	20.3%
	45-49	Count	7	3	10
		% within Sex	12.7%	15.8%	13.5%
	50-54	Count	2	3	5
		% within Sex	3.6%	15.8%	6.8%
	70+	Count	1	0	1
		% within Sex	1.8%	.0%	1.4%
Total		Count	55	19	74
- PUD	DUD 4	% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 1

## Race-Ethnicity \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	38	7	45
		% within Sex	69.1%	36.8%	60.8%
	African American	Count	6	5	11
		% within Sex	10.9%	26.3%	14.9%
	Hispanic	Count	11	5	16
		% within Sex	20.0%	26.3%	21.6%
	Asian-Pacific Islander	Count	0	2	2
		% within Sex	.0%	10.5%	2.7%
Total	_	Count	55	19	74
		% within Sex	100.0%	100.0%	100.0%

# HIV Infection Cases Reported during 2003 (from the 01/15/04 HARS data set)

#### Mode of Exposure \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	28	0	28
Exposure		% within Sex	50.9%	.0%	37.8%
	IDU	Count	10	5	15
		% within Sex	18.2%	26.3%	20.3%
	M-M & IDU	Count	5	0	5
		% within Sex	9.1%	.0%	6.8%
	Heterosexual Contact	Count	2	7	9
		% within Sex	3.6%	36.8%	12.2%
	Not Classified	Count	10	6	16
		% within Sex	18.2%	31.6%	21.6%
	Ped Parent at Risk	Count	0	1	1
		% within Sex	.0%	5.3%	1.4%
Total	_	Count	55	19	74
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 1

			Adı	ult-Ped	
			Pediatric	Adult/ Adolescent	Total
Race-Ethnicity	White Non-Hispanic	Count	1	44	45
•	·	% within Adult-Ped	100.0%	60.3%	60.8%
	African American	Count	0	11	11
		% within Adult-Ped	.0%	15.1%	14.9%
	Hispanic	Count	0	16	16
		% within Adult-Ped	.0%	21.9%	21.6%
	Asian-Pacific Islander	Count	0	2	2
		% within Adult-Ped	.0%	2.7%	2.7%
Total		Count	1	73	74
		% within Adult-Ped	100.0%	100.0%	100.0%

a. PHR = PHR 1

## Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Age at	13-19	Count	0	2	2
Diagnosis		% within Sex	.0%	14.3%	3.6%
	20-24	Count	4	4	8
		% within Sex	9.5%	28.6%	14.3%
	25-29	Count	7	1	8
		% within Sex	16.7%	7.1%	14.3%
	30-34	Count	9	1	10
		% within Sex	21.4%	7.1%	17.9%
	35-39	Count	4	1	5
		% within Sex	9.5%	7.1%	8.9%
	40-44	Count	9	1	10
		% within Sex	21.4%	7.1%	17.9%
	45-49	Count	4	2	6
		% within Sex	9.5%	14.3%	10.7%
	50-54	Count	3	2	5
		% within Sex	7.1%	14.3%	8.9%
	55-59	Count	1	0	1
		% within Sex	2.4%	.0%	1.8%
	60-64	Count	1	0	1
		% within Sex	2.4%	.0%	1.8%
Total		Count	42	14	56
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 1

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	24	5	29
		% within Sex	57.1%	35.7%	51.8%
	African American	Count	7	3	10
		% within Sex	16.7%	21.4%	17.9%
	Hispanic	Count	11	6	17
		% within Sex	26.2%	42.9%	30.4%
Total		Count	42	14	56
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 1

# HIV Infection Cases Reported during 2002 (from the 01/15/04 HARS data set)

#### Mode of Exposure \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	20	0	20
Exposure		% within Sex	47.6%	.0%	35.7%
	IDU	Count	4	7	11
		% within Sex	9.5%	50.0%	19.6%
	M-M & IDU	Count	6	0	6
		% within Sex	14.3%	.0%	10.7%
	Heterosexual Contact	Count	2	6	8
		% within Sex	4.8%	42.9%	14.3%
	Transfusion	Count	2	0	2
		% within Sex	4.8%	.0%	3.6%
	Not Classified	Count	8	1	9
		% within Sex	19.0%	7.1%	16.1%
Total		Count	42	14	56
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 1

## Race-Ethnicity \* Adult-Ped Crosstabulation<sup>a</sup>

			Adult-Ped	
			Adult/ Adolescent	Total
Race-Ethnicity	White Non-Hispanic	Count	29	29
		% within Adult-Ped	51.8%	51.8%
	African American	Count	10	10
		% within Adult-Ped	17.9%	17.9%
	Hispanic	Count	17	17
		% within Adult-Ped	30.4%	30.4%
Total		Count	56	56
		% within Adult-Ped	100.0%	100.0%

## Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Age at	0 (0-11 mo)	Count	2	0	2
Diagnosis		% within Sex	.8%	.0%	.6%
	2-4	Count	0	1	1
		% within Sex	.0%	1.3%	.3%
	5-12	Count	1	3	4
		% within Sex	.4%	3.9%	1.3%
	13-19	Count	3	5	8
		% within Sex	1.3%	6.5%	2.5%
	20-24	Count	23	13	36
		% within Sex	9.7%	16.9%	11.4%
	25-29	Count	34	11	45
		% within Sex	14.3%	14.3%	14.3%
	30-34	Count	45	8	53
		% within Sex	18.9%	10.4%	16.8%
	35-39	Count	43	5	48
		% within Sex	18.1%	6.5%	15.2%
	40-44	Count	41	14	55
		% within Sex	17.2%	18.2%	17.5%
	45-49	Count	28	11	39
		% within Sex	11.8%	14.3%	12.4%
	50-54	Count	11	6	17
		% within Sex	4.6%	7.8%	5.4%
	55-59	Count	3	0	3
		% within Sex	1.3%	.0%	1.0%
	60-64	Count	1	0	1
		% within Sex	.4%	.0%	.3%
	70+	Count	2	0	2
		% within Sex	.8%	.0%	.6%
	Unknown	Count	1	0	1
		% within Sex	.4%	.0%	.3%
Total		Count	238	77	315
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 1

# Cumulative Reported HIV Infection Cases through 12/31/03 (from the 01/15/04 HARS data set)

### Race-Ethnicity \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	153	33	186
		% within Sex	64.3%	42.9%	59.0%
	African American	Count	30	22	52
		% within Sex	12.6%	28.6%	16.5%
	Hispanic	Count	55	20	75
		% within Sex	23.1%	26.0%	23.8%
	Asian-Pacific Islander	Count	0	2	2
		% within Sex	.0%	2.6%	.6%
Total		Count	238	77	315
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 1

#### Mode of Exposure \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	119	0	119
Exposure		% within Sex	50.0%	.0%	37.8%
	IDU	Count	32	34	66
		% within Sex	13.4%	44.2%	21.0%
	M-M & IDU	Count	31	0	31
		% within Sex	13.0%	.0%	9.8%
	Heterosexual Contact	Count	8	24	32
		% within Sex	3.4%	31.2%	10.2%
	Transfusion	Count	2	0	2
		% within Sex	.8%	.0%	.6%
	Not Classified	Count	43	15	58
		% within Sex	18.1%	19.5%	18.4%
	Ped Hemophiliac	Count	1	0	1
		% within Sex	.4%	.0%	.3%
	Ped Parent at Risk	Count	2	2	4
		% within Sex	.8%	2.6%	1.3%
	Ped Transfusion	Count	0	1	1
		% within Sex	.0%	1.3%	.3%
	Ped Other-Undet	Count	0	1	1
		% within Sex	.0%	1.3%	.3%
Total		Count	238	77	315
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 1

# Cumulative Reported HIV Infection Cases through 12/31/03 (from the 01/15/04 HARS data set)

				Adult-Ped		
				Adult/		
			Pediatric	Adolescent	Unknown	Total
Race-Ethnicity	White Non-Hispanic	Count	4	182	0	186
		% within Adult-Ped	57.1%	59.3%	.0%	59.0%
	African American	Count	2	50	0	52
		% within Adult-Ped	28.6%	16.3%	.0%	16.5%
	Hispanic	Count	1	73	1	75
		% within Adult-Ped	14.3%	23.8%	100.0%	23.8%
	Asian-Pacific Islander	Count	0	2	0	2
		% within Adult-Ped	.0%	.7%	.0%	.6%
Total		Count	7	307	1	315
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. PHR = PHR 1

### Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Age at	0 (0-11 mo)	Count	2	0	2
Diagnosis		% within Sex	.9%	.0%	.7%
	2-4	Count	0	1	1
		% within Sex	.0%	1.3%	.3%
	5-12	Count	1	3	4
		% within Sex	.4%	4.0%	1.3%
	13-19	Count	3	5	8
		% within Sex	1.3%	6.7%	2.7%
	20-24	Count	23	13	36
		% within Sex	10.2%	17.3%	12.0%
	25-29	Count	33	10	43
		% within Sex	14.7%	13.3%	14.3%
	30-34	Count	45	7	52
		% within Sex	20.0%	9.3%	17.3%
	35-39	Count	39	5	44
		% within Sex	17.3%	6.7%	14.7%
	40-44	Count	38	14	52
		% within Sex	16.9%	18.7%	17.3%
	45-49	Count	27	11	38
		% within Sex	12.0%	14.7%	12.7%
	50-54	Count	8	6	14
		% within Sex	3.6%	8.0%	4.7%
	55-59	Count	3	0	3
		% within Sex	1.3%	.0%	1.0%
	60-64	Count	1	0	1
		% within Sex	.4%	.0%	.3%
	70+	Count	1	0	1
		% within Sex	.4%	.0%	.3%
	Unknown	Count	1	0	1
		% within Sex	.4%	.0%	.3%
Total		Count	225	75	300
		% within Sex	100.0%	100.0%	100.0%

# Living Reported HIV Infection Cases through 12/31/03 (from the 01/15/04 HARS data set)

Current Age \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
		•	Male	Female	Total
Current	5-12	Count	2	2	4
Age		% within Sex	.9%	2.7%	1.3%
	13-19	Count	1	2	3
		% within Sex	.4%	2.7%	1.0%
	20-24	Count	8	9	17
		% within Sex	3.6%	12.0%	5.7%
	25-29	Count	18	8	26
		% within Sex	8.0%	10.7%	8.7%
	30-34	Count	41	11	52
		% within Sex	18.2%	14.7%	17.3%
	35-39	Count	43	8	51
		% within Sex	19.1%	10.7%	17.0%
	40-44	Count	46	13	59
		% within Sex	20.4%	17.3%	19.7%
	45-49	Count	30	10	40
		% within Sex	13.3%	13.3%	13.3%
	50-54	Count	26	11	37
		% within Sex	11.6%	14.7%	12.3%
	55-59	Count	5	1	6
		% within Sex	2.2%	1.3%	2.0%
	60-64	Count	3	0	3
		% within Sex	1.3%	.0%	1.0%
	70+	Count	1	0	1
		% within Sex	.4%	.0%	.3%
	Unknown	Count	1	0	1
		% within Sex	.4%	.0%	.3%
Total		Count	225	75	300
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 1

Race-Ethnicity \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	146	33	179
		% within Sex	64.9%	44.0%	59.7%
	African American	Count	28	22	50
		% within Sex	12.4%	29.3%	16.7%
	Hispanic	Count	51	19	70
		% within Sex	22.7%	25.3%	23.3%
	Asian-Pacific Islander	Count	0	1	1
		% within Sex	.0%	1.3%	.3%
Total		Count	225	75	300
		% within Sex	100.0%	100.0%	100.0%

# Living Reported HIV Infection Cases through 12/31/03 (from the 01/15/04 HARS data set)

#### Mode of Exposure \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	114	0	114
Exposure		% within Sex	50.7%	.0%	38.0%
	IDU	Count	29	34	63
		% within Sex	12.9%	45.3%	21.0%
	M-M & IDU	Count	28	0	28
		% within Sex	12.4%	.0%	9.3%
	Heterosexual Contact	Count	8	23	31
		% within Sex	3.6%	30.7%	10.3%
	Transfusion	Count	2	0	2
		% within Sex	.9%	.0%	.7%
	Not Classified	Count	41	14	55
		% within Sex	18.2%	18.7%	18.3%
	Ped Hemophiliac	Count	1	0	1
		% within Sex	.4%	.0%	.3%
	Ped Parent at Risk	Count	2	2	4
		% within Sex	.9%	2.7%	1.3%
	Ped Transfusion	Count	0	1	1
		% within Sex	.0%	1.3%	.3%
	Ped Other-Undet	Count	0	1	1
		% within Sex	.0%	1.3%	.3%
Total		Count	225	75	300
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 1

## Race-Ethnicity \* Adult-Ped Crosstabulation<sup>a</sup>

				Adult-Ped		
				Adult/		
			Pediatric	Adolescent	Unknown	Total
Race-Ethnicity	White Non-Hispanic	Count	4	175	0	179
		% within Adult-Ped	57.1%	59.9%	.0%	59.7%
	African American	Count	2	48	0	50
		% within Adult-Ped	28.6%	16.4%	.0%	16.7%
	Hispanic	Count	1	68	1	70
		% within Adult-Ped	14.3%	23.3%	100.0%	23.3%
	Asian-Pacific Islander	Count	0	1	0	1
		% within Adult-Ped	.0%	.3%	.0%	.3%
Total		Count	7	292	1	300
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

## Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Age at	20-24	Count	0	1	1
Diagnosis		% within Sex	.0%	7.1%	1.6%
	25-29	Count	1	1	2
		% within Sex	2.1%	7.1%	3.2%
	30-34	Count	8	3	11
		% within Sex	16.7%	21.4%	17.7%
	35-39	Count	11	3	14
		% within Sex	22.9%	21.4%	22.6%
	40-44	Count	12	2	14
		% within Sex	25.0%	14.3%	22.6%
	45-49	Count	3	1	4
		% within Sex	6.3%	7.1%	6.5%
	50-54	Count	7	1	8
		% within Sex	14.6%	7.1%	12.9%
	55-59	Count	3	2	5
		% within Sex	6.3%	14.3%	8.1%
	60-64	Count	1	0	1
		% within Sex	2.1%	.0%	1.6%
	65-69	Count	2	0	2
		% within Sex	4.2%	.0%	3.2%
Total		Count	48	14	62
0 DUD - I		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 1

#### Race-Ethnicity \* Sex Crosstabulation<sup>a</sup>

			Sex		
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	25	8	33
		% within Sex	52.1%	57.1%	53.2%
	African American	Count	5	2	7
		% within Sex	10.4%	14.3%	11.3%
	Hispanic	Count	18	4	22
		% within Sex	37.5%	28.6%	35.5%
Total		Count	48	14	62
		% within Sex	100.0%	100.0%	100.0%

# AIDS Cases Reported during 2003 (from the 01/15/04 HARS data set)

#### Mode of Exposure \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	22	0	22
Exposure		% within Sex	45.8%	.0%	35.5%
	IDU	Count	8	6	14
		% within Sex	16.7%	42.9%	22.6%
	M-M & IDU	Count	10	0	10
		% within Sex	20.8%	.0%	16.1%
	Heterosexual Contact	Count	3	6	9
		% within Sex	6.3%	42.9%	14.5%
	Not Classified	Count	5	2	7
		% within Sex	10.4%	14.3%	11.3%
Total		Count	48	14	62
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 1

			Adult-Ped	
			Adult/ Adolescent	Total
Race-Ethnicity	White Non-Hispanic	Count	33	33
		% within Adult-Ped	53.2%	53.2%
	African American	Count	7	7
		% within Adult-Ped	11.3%	11.3%
	Hispanic	Count	22	22
		% within Adult-Ped	35.5%	35.5%
Total		Count	62	62
		% within Adult-Ped	100.0%	100.0%

a. PHR = PHR 1

## Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Age at	20-24	Count	0	1	1
Diagnosis		% within Sex	.0%	16.7%	1.9%
	25-29	Count	2	0	2
		% within Sex	4.3%	.0%	3.8%
	30-34	Count	10	2	12
		% within Sex	21.7%	33.3%	23.1%
	35-39	Count	7	1	8
		% within Sex	15.2%	16.7%	15.4%
	40-44	Count	9	2	11
		% within Sex	19.6%	33.3%	21.2%
	45-49	Count	8	0	8
		% within Sex	17.4%	.0%	15.4%
	50-54	Count	4	0	4
		% within Sex	8.7%	.0%	7.7%
	60-64	Count	5	0	5
		% within Sex	10.9%	.0%	9.6%
	70+	Count	1	0	1
		% within Sex	2.2%	.0%	1.9%
Total	•	Count	46	6	52
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 1

### Race-Ethnicity \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	25	5	30
		% within Sex	54.3%	83.3%	57.7%
	African American	Count	8	0	8
		% within Sex	17.4%	.0%	15.4%
	Hispanic	Count	13	1	14
		% within Sex	28.3%	16.7%	26.9%
Total		Count	46	6	52
		% within Sex	100.0%	100.0%	100.0%

# AIDS Cases Reported during 2002 (from the 01/15/04 HARS data set)

#### Mode of Exposure \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	22	0	22
Exposure		% within Sex	47.8%	.0%	42.3%
	IDU	Count	8	3	11
		% within Sex	17.4%	50.0%	21.2%
	M-M & IDU	Count	7	0	7
		% within Sex	15.2%	.0%	13.5%
	Heterosexual Contact	Count	4	3	7
		% within Sex	8.7%	50.0%	13.5%
	Not Classified	Count	5	0	5
		% within Sex	10.9%	.0%	9.6%
Total		Count	46	6	52
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 1

			Adult-Ped	
			Adult/ Adolescent	Total
Race-Ethnicity	White Non-Hispanic	Count	30	30
	·	% within Adult-Ped	57.7%	57.7%
	African American	Count	8	8
		% within Adult-Ped	15.4%	15.4%
	Hispanic	Count	14	14
		% within Adult-Ped	26.9%	26.9%
Total		Count	52	52
		% within Adult-Ped	100.0%	100.0%

a. PHR = PHR 1

## Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Age at	1 (12-23 mo)	Count	1	0	1
Diagnosis		% within Sex	.1%	.0%	.1%
	5-12	Count	3	1	4
		% within Sex	.3%	1.0%	.4%
	13-19	Count	4	1	5
		% within Sex	.5%	1.0%	.5%
	20-24	Count	31	9	40
		% within Sex	3.6%	9.3%	4.2%
	25-29	Count	150	15	165
		% within Sex	17.5%	15.5%	17.3%
	30-34	Count	185	23	208
		% within Sex	21.6%	23.7%	21.8%
	35-39	Count	187	15	202
		% within Sex	21.8%	15.5%	21.2%
	40-44	Count	125	17	142
		% within Sex	14.6%	17.5%	14.9%
	45-49	Count	81	4	85
		% within Sex	9.4%	4.1%	8.9%
	50-54	Count	39	3	42
		% within Sex	4.5%	3.1%	4.4%
	55-59	Count	26	5	31
		% within Sex	3.0%	5.2%	3.2%
	60-64	Count	17	1	18
		% within Sex	2.0%	1.0%	1.9%
	65-69	Count	5	3	8
		% within Sex	.6%	3.1%	.8%
	70+	Count	4	0	4
		% within Sex	.5%	.0%	.4%
Total		Count	858	97	955
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 1

# Cumulative Reported AIDS Cases through 12/31/03 (from the 01/15/04 HARS data set)

### Race-Ethnicity \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	564	50	614
		% within Sex	65.7%	51.5%	64.3%
	African American	Count	99	23	122
		% within Sex	11.5%	23.7%	12.8%
	Hispanic	Count	193	24	217
		% within Sex	22.5%	24.7%	22.7%
	Asian-Pacific Islander	Count	2	0	2
		% within Sex	.2%	.0%	.2%
Total		Count	858	97	955
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 1

#### Mode of Exposure \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	499	0	499
Exposure		% within Sex	58.2%	.0%	52.3%
	IDU	Count	103	46	149
		% within Sex	12.0%	47.4%	15.6%
	M-M & IDU	Count	158	0	158
		% within Sex	18.4%	.0%	16.5%
	Hemophiliac	Count	4	1	5
		% within Sex	.5%	1.0%	.5%
	Heterosexual Contact	Count	24	28	52
		% within Sex	2.8%	28.9%	5.4%
	Transfusion	Count	5	4	9
		% within Sex	.6%	4.1%	.9%
	Not Classified	Count	61	17	78
		% within Sex	7.1%	17.5%	8.2%
	Ped Hemophiliac	Count	3	0	3
		% within Sex	.3%	.0%	.3%
	Ped Parent at Risk	Count	1	0	1
		% within Sex	.1%	.0%	.1%
	Ped Other-Undet	Count	0	1	1
		% within Sex	.0%	1.0%	.1%
Total		Count	858	97	955
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 1

# Cumulative Reported AIDS Cases through 12/31/03 (from the 01/15/04 HARS data set)

			Adı	ult-Ped	
				Adult/	
			Pediatric	Adolescent	Total
Race-Ethnicity	White Non-Hispanic	Count	1	613	614
		% within Adult-Ped	20.0%	64.5%	64.3%
	African American	Count	2	120	122
		% within Adult-Ped	40.0%	12.6%	12.8%
	Hispanic	Count	2	215	217
		% within Adult-Ped	40.0%	22.6%	22.7%
	Asian-Pacific Islander	Count	0	2	2
		% within Adult-Ped	.0%	.2%	.2%
Total		Count	5	950	955
		% within Adult-Ped	100.0%	100.0%	100.0%

a. PHR = PHR 1

## Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Age at	5-12	Count	0	1	1
Diagnosis		% within Sex	.0%	1.9%	.2%
	13-19	Count	3	0	3
		% within Sex	.8%	.0%	.7%
	20-24	Count	9	6	15
		% within Sex	2.4%	11.3%	3.6%
	25-29	Count	49	7	56
		% within Sex	13.3%	13.2%	13.3%
	30-34	Count	80	15	95
		% within Sex	21.7%	28.3%	22.5%
	35-39	Count	85	8	93
		% within Sex	23.0%	15.1%	22.0%
	40-44	Count	67	9	76
		% within Sex	18.2%	17.0%	18.0%
	45-49	Count	35	3	38
		% within Sex	9.5%	5.7%	9.0%
	50-54	Count	23	1	24
		% within Sex	6.2%	1.9%	5.7%
	55-59	Count	8	2	10
		% within Sex	2.2%	3.8%	2.4%
	60-64	Count	7	0	7
		% within Sex	1.9%	.0%	1.7%
	65-69	Count	2	1	3
		% within Sex	.5%	1.9%	.7%
	70+	Count	1	0	1
		% within Sex	.3%	.0%	.2%
Total		Count	369	53	422
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 1

# Living Reported AIDS Cases through 12/31/03 (from the 01/15/04 HARS data set)

Current Age \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
		,	Male	Female	Total
Current	13-19	Count	0	1	1
Age		% within Sex	.0%	1.9%	.2%
	20-24	Count	3	1	4
		% within Sex	.8%	1.9%	.9%
	25-29	Count	4	4	8
		% within Sex	1.1%	7.5%	1.9%
	30-34	Count	44	11	55
		% within Sex	11.9%	20.8%	13.0%
	35-39	Count	75	9	84
		% within Sex	20.3%	17.0%	19.9%
	40-44	Count	84	14	98
		% within Sex	22.8%	26.4%	23.2%
	45-49	Count	75	6	81
		% within Sex	20.3%	11.3%	19.2%
	50-54	Count	44	4	48
		% within Sex	11.9%	7.5%	11.4%
	55-59	Count	24	1	25
		% within Sex	6.5%	1.9%	5.9%
	60-64	Count	8	0	8
		% within Sex	2.2%	.0%	1.9%
	65-69	Count	6	1	7
		% within Sex	1.6%	1.9%	1.7%
	70+	Count	2	1	3
		% within Sex	.5%	1.9%	.7%
Total		Count	369	53	422
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 1

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	224	32	256
		% within Sex	60.7%	60.4%	60.7%
	African American	Count	47	9	56
		% within Sex	12.7%	17.0%	13.3%
	Hispanic	Count	97	12	109
		% within Sex	26.3%	22.6%	25.8%
	Asian-Pacific Islander	Count	1	0	1
		% within Sex	.3%	.0%	.2%
Total		Count	369	53	422
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 1

# Living Reported AIDS Cases through 12/31/03 (from the 01/15/04 HARS data set)

#### Mode of Exposure \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	199	0	199
Exposure		% within Sex	53.9%	.0%	47.2%
	IDU	Count	48	29	77
		% within Sex	13.0%	54.7%	18.2%
	M-M & IDU	Count	74	0	74
		% within Sex	20.1%	.0%	17.5%
	Heterosexual Contact	Count	16	15	31
		% within Sex	4.3%	28.3%	7.3%
	Transfusion	Count	1	0	1
		% within Sex	.3%	.0%	.2%
	Not Classified	Count	31	8	39
		% within Sex	8.4%	15.1%	9.2%
	Ped Other-Undet	Count	0	1	1
		% within Sex	.0%	1.9%	.2%
Total		Count	369	53	422
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 1

			Adult-Ped		
				Adult/	
			Pediatric	Adolescent	Total
Race-Ethnicity	White Non-Hispanic	Count	0	256	256
		% within Adult-Ped	.0%	60.8%	60.7%
	African American	Count	1	55	56
		% within Adult-Ped	100.0%	13.1%	13.3%
	Hispanic	Count	0	109	109
		% within Adult-Ped	.0%	25.9%	25.8%
	Asian-Pacific Islander	Count	0	1	1
		% within Adult-Ped	.0%	.2%	.2%
Total		Count	1	421	422
		% within Adult-Ped	100.0%	100.0%	100.0%

a. PHR = PHR 1

#### Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>

			Se	Sex	
			Male	Female	Total
Age at	0 (0-11 mo)	Count	2	0	2
Diagnosis		% within Sex	.3%	.0%	.3%
	2-4	Count	0	1	1
		% within Sex	.0%	.8%	.1%
	5-12	Count	1	4	5
		% within Sex	.2%	3.1%	.7%
	13-19	Count	6	5	11
		% within Sex	1.0%	3.9%	1.5%
	20-24	Count	32	19	51
		% within Sex	5.4%	14.8%	7.1%
	25-29	Count	82	17	99
		% within Sex	13.8%	13.3%	13.7%
	30-34	Count	125	22	147
		% within Sex	21.0%	17.2%	20.4%
	35-39	Count	124	13	137
		% within Sex	20.9%	10.2%	19.0%
	40-44	Count	105	23	128
		% within Sex	17.7%	18.0%	17.7%
	45-49	Count	62	14	76
		% within Sex	10.4%	10.9%	10.5%
	50-54	Count	31	7	38
		% within Sex	5.2%	5.5%	5.3%
	55-59	Count	11	2	13
		% within Sex	1.9%	1.6%	1.8%
	60-64	Count	8	0	8
		% within Sex	1.3%	.0%	1.1%
	65-69	Count	2	1	3
		% within Sex	.3%	.8%	.4%
	70+	Count	2	0	2
		% within Sex	.3%	.0%	.3%
	Unknown	Count	1	0	1
		% within Sex	.2%	.0%	.1%
Total		Count	594	128	722
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 1

# Prevalent Reported Cases of HIV/AIDS through 12/31/03 (Living HIV/AIDS Cases - combined - from 01/15/04 HARS data)

Current Age \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
		•	Male	Female	Total
Current	5-12	Count	2	2	4
Age		% within Sex	.3%	1.6%	.6%
	13-19	Count	1	3	4
		% within Sex	.2%	2.3%	.6%
	20-24	Count	11	10	21
		% within Sex	1.9%	7.8%	2.9%
	25-29	Count	22	12	34
		% within Sex	3.7%	9.4%	4.7%
	30-34	Count	85	22	107
		% within Sex	14.3%	17.2%	14.8%
	35-39	Count	118	17	135
		% within Sex	19.9%	13.3%	18.7%
	40-44	Count	130	27	157
		% within Sex	21.9%	21.1%	21.7%
	45-49	Count	105	16	121
		% within Sex	17.7%	12.5%	16.8%
	50-54	Count	70	15	85
		% within Sex	11.8%	11.7%	11.8%
	55-59	Count	29	2	31
		% within Sex	4.9%	1.6%	4.3%
	60-64	Count	11	0	11
		% within Sex	1.9%	.0%	1.5%
	65-69	Count	6	1	7
		% within Sex	1.0%	.8%	1.0%
	70+	Count	3	1	4
		% within Sex	.5%	.8%	.6%
	Unknown	Count	1	0	1
		% within Sex	.2%	.0%	.1%
Total		Count	594	128	722
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 1

			Sex		
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	370	65	435
		% within Sex	62.3%	50.8%	60.2%
	African American	Count	75	31	106
		% within Sex	12.6%	24.2%	14.7%
	Hispanic	Count	148	31	179
		% within Sex	24.9%	24.2%	24.8%
	Asian-Pacific Islander	Count	1	1	2
		% within Sex	.2%	.8%	.3%
Total		Count	594	128	722
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 1

# Prevalent Reported Cases of HIV/AIDS through 12/31/03 (Living HIV/AIDS Cases - combined - from 01/15/04 HARS data)

#### Mode of Exposure \* Sex Crosstabulation<sup>a</sup>

			Sex		
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	313	0	313
Exposure		% within Sex	52.7%	.0%	43.4%
	IDU	Count	77	63	140
		% within Sex	13.0%	49.2%	19.4%
	M-M & IDU	Count	102	0	102
		% within Sex	17.2%	.0%	14.1%
	Heterosexual Contact	Count	24	38	62
		% within Sex	4.0%	29.7%	8.6%
	Transfusion	Count	3	0	3
- - -		% within Sex	.5%	.0%	.4%
	Not Classified	Count	72	22	94
		% within Sex	12.1%	17.2%	13.0%
	Ped Hemophiliac	Count	1	0	1
		% within Sex	.2%	.0%	.1%
	Ped Parent at Risk	Count	2	2	4
		% within Sex	.3%	1.6%	.6%
	Ped Transfusion	Count	0	1	1
		% within Sex	.0%	.8%	.1%
	Ped Other-Undet	Count	0	2	2
		% within Sex	.0%	1.6%	.3%
Total		Count	594	128	722
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 1

			Adult-Ped			
				Adult/		
			Pediatric	Adolescent	Unknown	Total
Race-Ethnicity	White Non-Hispanic	Count	4	431	0	435
		% within Adult-Ped	50.0%	60.4%	.0%	60.2%
	African American	Count	3	103	0	106
		% within Adult-Ped	37.5%	14.4%	.0%	14.7%
	Hispanic	Count	1	177	1	179
		% within Adult-Ped	12.5%	24.8%	100.0%	24.8%
	Asian-Pacific Islander	Count	0	2	0	2
		% within Adult-Ped	.0%	.3%	.0%	.3%
Total		Count	8	713	1	722
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. PHR = PHR 1